

UNION MADE IN THE USA.

## ORDERING:

NOMINAL SIZE	LAMPS	CATALOG NUMBER
13½" X 4'	2-FP54	455-*PK-248T5-HO
13½" X 4'	3-FP54	455-*PK-348T5-HO
13½" X 8'	4-FP54	455-*PK-248-2T5-HO
13½" X 8'	6-FP54	455-*PK-348-2T5-HO

INSERT VOLTAGE AT END OF CATALOG NUMBER

## FEATURES:

- T5 TECHNOLOGY MAINTAINS A HIGHER PERCENT OF RATED LUMENS
- AVAILABLE IN 4' AND 8' SECTIONS
- SURFACE OR SUSPENSION MOUNTING
- OPTIONAL COUPLERS AND ALIGNERS TO ENSURE STRAIGHT ROWS
- POWER SUPPLY K.O.'S OFFSET FROM FIXTURE CENTERLINE FOR INSTALLATION EASE
- POST PAINTED HIGH REFLECTANCE POWDER COAT FINISH

OR

- MIRO 4 HIGH REFLECTANCE FINISH

## TYPICAL APPLICATION:

- 20' OR HIGHER MOUNTING HEIGHT



## NOTES:

1. \* PK DESIGNATES POWDER COAT FINISH
2. \* SR DESIGNATES MIRO 4 FINISH
3. OPTIONAL WIRE GUARD SHOWN ON BACK OF PAGE

MANUFACTURING  
1715 KIBBY ROAD - MERCED - CALIFORNIA - 95340  
(209) 723-9120 - FAX: (209) 723-9131


SALES OFFICE  
14722 WICKS BLVD. - SAN LEANDRO - CALIFORNIA - 94577-6718  
(510) 667-6950 - FAX: (510) 667-6959

## BACK DETAIL



## ACCESSORIES

- 4-6' MOUNTING CHAIN W/ "S" HOOKS
- 4-3' MOUNTING CHAIN W/ "S" HOOKS
- 6' PENDANT MOUNTING KIT (CS150)
- 6' STEM W/ LOCK NUTS



455-4G-HD 14 GA PLATED  
WIRE GUARD  
AVAILABLE IN 4' LENGTHS ONLY  
SEE ACCESSORIES SECTION  
FOR WIRE GUARD GAUGE  
OPTIONS

### NOTE

All fixtures must be installed, wired and grounded in accordance with the National Electric Code and all other applicable codes.

### !!! WARNING !!!

RISK OF FIRE OR ELECTRICAL SHOCK. ELECTRICAL PARTS MAY BE DAMAGED WHEN DRILLING OR USING "TEK" SCREWS FOR INSTALLATION OF MOUNTING HARDWARE. CHECK ENCLOSED WIRING AND COMPONENTS. USE CAUTION WHEN DRILLING "TEK" SCREWS INTO A BLIND AREA. TO PREVENT WIRING DAMAGE DO NOT EXPOSE WIRING TO SHARP EDGES.

